

Singapore Mathematical Society
Singapore Mathematical Olympiad (SMO) 2014
(Open Section, First round)

Wednesday, 4 June 2014

0930-1200 hrs

Instructions to contestants

1. *Answer ALL 25 questions.*
2. *Write your answers in the answer sheet provided and shade the appropriate bubbles below your answers.*
3. *No steps are needed to justify your answers.*
4. *Each question carries 1 mark.*
5. *No calculators are allowed.*


PLEASE DO NOT TURN OVER UNTIL YOU ARE TOLD TO DO SO

In this paper, $[x]$ denotes the greatest integer not exceeding x . For examples, $[5] = 5$; $[2.8] = 2$; and $[-2.3] = -3$.

1. Find the sum

$$1^2 \times 3 + 2^2 \times 4 + 3^2 \times 5 + 4^2 \times 6 + \cdots + 20^2 \times 22.$$

2. In the following figure, ABC is a triangle and both ABC' and $AB'C$ are equilateral triangles. Let O be the meeting point of lines CC' and BB' . Find $\angle BOC$ in degrees.



3. Consider the function $g(x) = Ax^2 + Bx$, where A and B are constants. Assume that u, v are two numbers such that


$$g(u - 3) = g(v + 3), \quad \text{and } u - v \neq 6.$$

Find the largest possible value of $A(g(u + v))^2 + Bg(u + v)$.

4. Let a_1, a_2, \dots and b_1, b_2, \dots be two arithmetic progressions such that $a_1 = 10$ and $b_1 = 24$, and that $a_{100} + b_{100} = 2014$. Find the sum of the first twenty terms of the sequence

$$a_1 + b_1, a_2 + b_2, a_3 + b_3, \dots$$

5. The figure below (not drawn to scale) shows a triangle ABC with $BC = 8$ cm, $BA = 4$ cm and $AC = 2\sqrt{31}$ cm. The point M is the midpoint of AC . Find the length of BM in centimetres.



6. If x, y and z are real numbers satisfying the equation $x^2 + y^2 + z^2 - xy - yz - zx = 27$, find the maximum value of $|y - z|$.

7. The set A is a non-empty subset of the set $\{1, 2, 3, 4, 5, 6, 7, 8, 9\}$ with the property that whenever $a \in A$, then $10 - a \in A$. How many possible subsets A are there?

8. In the sequence

$$\frac{1}{4}, \frac{2}{4}, \frac{3}{4}, \frac{1}{9}, \frac{2}{9}, \frac{3}{9}, \dots, \frac{8}{9}, \frac{1}{16}, \frac{2}{16}, \dots, \frac{15}{16}, \frac{1}{25}, \frac{2}{25}, \dots, \frac{24}{25}, \dots$$

the N^{th} term is $\frac{2014}{2025}$. Find N .

9. A real-valued function f satisfies the equation $f(x) + f\left(\frac{1}{1-x}\right) = \frac{x}{x-1}$ for all real numbers $x \neq 0, 1$. Find $24 \times f(-3)$.

10. Given that $a = \log_2 3, b = -\log_4 5$ and $c = -\log_2 3 + \log_4 5$, find the value of

$$\frac{a^2}{2a^2 + bc} + \frac{b^2}{2b^2 + ac} + \frac{c^2}{2c^2 + ab}.$$

11. Let m be the smallest value of the function $y = \sqrt{x^2 + 4x + 7} + \sqrt{x^2 - 2x + 5}$. Determine $\lfloor m \rfloor$.

12. Find the number of triples (a, b, c) such that a, b, c are numbers in the set $\{1, 2, 3, \dots, 15\}$ satisfying the conditions $a < b - 1$ and $b < c - 2$.

13. The first term of an arithmetic progression is an integer and the common difference is 2. If the sum of the first n terms ($n > 1$) of the arithmetic progression is 2014, find the sum of all the possible values of n .

14. Let $a_i \in \{1, -1\}$ for all $i = 1, 2, 3, \dots, 2014$ and

$$M = \sum_{1 \leq i < j \leq 2014} a_i a_j.$$

Find the least possible positive value of M .

15. Find the largest even four-digit perfect square whose units digit exceeds the tens digit by 1 and whose thousands digit exceeds the hundreds digit by 1.

16. Let ABC be a triangle with $a = BC$, $b = AC$ and $c = AB$. Assume that $3a^2 + 3b^2 = 5c^2$. Find the value of

$$\frac{\cot A + \cot B}{\cot C}.$$

17. Find the number of integers k in the set $S = \{1, 2, 3, \dots, 12014\}$ such that k is of exactly one of the following forms

$$n^2, n^3, n^5,$$

where n is an integer.

(Note: For example, 100, 1000 are such numbers but $64 = 8^2 = 4^3$ is not.)

18. Let a, b, c be positive real numbers such that $abc = 1$. Find the least possible value of

$$\frac{2014}{a^3(b+c)} + \frac{2014}{b^3(a+c)} + \frac{2014}{c^3(a+b)}.$$

19. A sequence $a_0, a_1, a_2, a_3, \dots$, with $a_1 = 1$, is defined such that for any positive integers m and n , where $m \geq n$, the terms of the sequence satisfy the relation

$$a_{m+n} + a_{m-n} + m - n = \frac{1}{2}(a_{2m} + a_{2n}) + 1.$$

Find the value of $\left\lfloor \frac{a_{2014}}{2014} \right\rfloor$.

20. Let n be a positive integer such that, for each of the digits $0, 1, \dots, 9$, there exists a factor of n ending in that digit. What is the smallest possible value of n ?
21. Let $a_1, a_2, a_3, \dots, a_{2001}, \dots$ be an arithmetic progression such that $a_1^2 + a_{1001}^2 \leq 10$. Find the largest possible value of the following expression

$$a_{1001} + a_{1002} + a_{1003} + \dots + a_{2001}.$$

22. It is given that w, a, b and c are positive integers that satisfy the equation

$$w! = a! + b! + c!.$$

Find the largest possible value of $w + a + b + c$.

23. In the triangle ABC , $AB = 63$ cm, $BC = 56$ cm, $CA = 49$ cm, M is the midpoint of BC , and the extension of AM meets the circumcircle ω of the triangle ABC at P . The circle through P and tangent to BC at M intersects ω at Q distinct from P . Find the length of MQ in centimetres.

24. Let M and C be two distinct points on the arc AB of a circle such that M is the midpoint of the arc AB . If D is the foot of the perpendicular from M onto the chord AC such that $AD = 100$ cm and $DC = 36$ cm, find the length of the chord BC in centimetres.
25. Let AD be the bisector of $\angle A$ of the triangle ABC . Let M and N be points on AB and AC , respectively such that $\angle MDA = \angle ABC$ and $\angle NDA = \angle ACB$. Let P be the intersection between AD and MN . Suppose $AD = 14$ cm. Find the value of $AB \times AC \times AP$ in cm^3 .